



गण्डकी गाउँपालिका गाउँ कार्यपालिकाको कार्यालय भूमिचोक, गोरखा

क्याटलग/ब्रोसर सपिङ्ग विधिबाट सवारी साधन खरिद सम्बन्धी

शिलबन्दी प्रस्ताव आव्हानको सूचना

(प्रथम पटक प्रकाशित मिति : २०८०/११/०३ गते)

यस कार्यालयको आ.व. २०८०/८१ को स्वीकृत बजेट अनुसार देहाय बमोजिमका सवारी साधन सार्वजनिक खरिद ऐन, २०६३ (पहिलो संशोधन २०७३) को दफा ८ को उपदफा १ (क) (८) तथा गण्डकी गाउँपालिकाको सार्वजनिक खरिद नियमावली, २०७७ को नियम ३४ (१) बमोजिम त्यस्ता सवारी साधन उत्पादक कम्पनी वा सो को आधिकारीक बिक्रेताहरु बिच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिङ्ग) विधिबाट खरिद गुर्नपर्ने भएकोले गण्डकी गाउँपालिकाको सार्वजनिक खरिद नियमावली, २०७७ को नियम ३४ (१) बमोजिम देहाय बमोजिमको सवारी साधनको उत्पादन वा आधिकारीक बिक्रेताहरुबाट उक्त सवारी साधन बिक्रि गर्न नेपाल सरकारको सम्बन्धित निकायबाट प्राप्त भएको अनुमति पत्र, सो अध्यावधिक नविकरण भएको पत्र, स्थाई लेखा नम्बर तथा मूल्य अभिवृद्धी कर दर्ता प्रमाणपत्र, आ.व.२०७९।८० को कर चुक्ता प्रमाण पत्र, उक्त सवारी साधनको सप्लाई गरेको हाल सम्मको विस्तृत विवरण सम्बन्धी कार्य अनुभवको प्रमाण पत्र, उत्पादकको आधिकारिक प्राविधिक स्पेसिफिकेशन, मूल्य, गुणस्तर तथा सुविधा सहितको विवरण खुल्ने कागजात (क्याटलग वा ब्रोसर) संलग्न राखि यो सूचना प्रकाशित भएको मितिले सातौं दिन (२०८०।११।१०) मध्यान्ह १२:०० बजे सम्म यस कार्यालयमा छुट्टाछुट्टै प्रस्ताव सहितको निवेदन दर्ता गराउनु हुन सार्वजनिक खरीद ऐन २०६३ तथा गण्डकी गाउँपालिकाको सार्वजनिक खरिद नियमावली, २०७७ को नियम ३४ (१) बमोजिम यो सूचना प्रकाशित गरिएको छ । दर्ता गरीएको शिलबन्दी प्रस्तावहरु सोहि दिनको १४:०० बजे खोल्ने छ । पेश गर्ने अन्तिम दिन सार्वजनिक बिदा पर्न गएमा बिदा पछीको कार्यलय खुलेको दिन सोहि समयसम्म पेश गर्न सकिने छ ।

साथै सूचीकृत नभएका उत्पादक वा आधिकारीक बिक्रेता कम्पनीहरुले सूचीकृत गराई उक्त शिलबन्दी प्रस्ताव पेश गर्न सकिने ब्यहोरा समेत जानकारी गराइन्छ ।


तपशिल:


क्र. सं.	ठेक्का नम्बर	सवारी साधन को नाम	परिमाण संख्या	संक्षिप्त बिबरण	कैफियत
१.	१/२०८०/८१	4x4 WD Truck	१.०	Four-wheel drive; GVW not less than 6000Kg, Water cooled diesel engine; displacement not less than 3400cc; rated maximum power o/p not less than 70KW; Minimum engine torque 22.5kgm at rated rpm; Payload capacity minimum 2.5 Ton	संक्षिप्त बिबरणमा उल्लेख नभएका कुराहरु स्वीकृत प्राविधिक स्पेसीफिकेशन बमोजिम हुनेछ । www.gandanki.mun.gov.np
२.	२/२०८०/८१	Motorcycle	२.०	Four Strokes; Petrol Engine; Engine displacement not less than 145cc, Maximum Power o/p not less than 12ps at governed RPM developing maximum torque not less than 12.5N-m; Ground clearance minimum 160mm	
३.	३/२०८०/८१	Motorcycle	१.०	Four Strokes; Petrol Engine; Engine displacement not less than 145cc, Maximum Power o/p not less than 18ps at governed RPM developing maximum torque not less than 17N-m; Ground clearance minimum 210mm	

प्रमुख प्रशासकीय अधिकृत

Technical Specification of 4*4 WD Truck

S.N.	CRITERIA	REQUIREMENTS
1	General	Truck, Four wheel drive, Right hand drive suitable for smooth economical performance, good traction and stability needed for safe driving in rough and hilly road condition of Nepal at an altitude upto 3000 meter and in ambient temperature between -10 degree C to 40 degree C Gross Vehicle Weight (GVW) of the vehicle should not be less than 6000 kg .
2	Engine	Water cooled diesel engine, common rail diesel injection engine with displacement not less than 3400 cc; rated maximum power output not less than 70 KW; minimum engine torque 22.5 kgm at rated rpm; the engine shall be fully equipped with all necessary item/accessories and controlling devices for safe, efficient, economical operation and optimizing vehicle performance producing lesser amount of polluted emissions
3	Emission Standard	The emission standard of the offered vehicle must be in compliance with of superior than the applicable emission standard as prescribed by Nepal vehicle mass emission standard which is to be certified by Department of Transport Management.
4	Gauges	Fitted with all the gauges, indicator signals as necessary for efficient operation, functional monitoring, vehicle, performance and maintenance the includes (but not limited to) battery charge indicator, water temperature, fuel, oil pressure, transmission gauge etc.
5	Transmission	Manual shift at least five forward and one reverse, all forward synchromesh
6	Suspension	Semi elliptical laminated leaf with shock absorber for both front and rear
7	Ground Clearance	Minimum 250 mm
8	Tyres	Standard Size and type suitable for rough terrain application.
9	Steering	Power steering
10	Brakes	Service brake: Vacuum assisted, Dual Circuit Air Assisted, Dual Circuit hydraulic. Parking Brake; Mechanical Brake
11	Cab/Carrier Body	Cabin : Single Cab with two side doors, all metallic cabin with insulated roof, laminated glass windscreen, wipers, glass windows on doors, comfortable and adjustable seats for driver, floor, mats, two sun visors, and two rear view mirror. carrier Body: all metallic body, Minimum (Length 10ftX Width 6ftX Height 6 ft).



 नेपाल सरकार
 त्रिभुवन विश्वविद्यालय
 सडक विभाग
 याचिका कार्यालय हुम्रे,
 तनहुँ


Mechanical Engineer

12	Maximum turning radius	Not more Than 7.5 m	
13	Payload Capacity	Minimum 2.5 Ton.	
14	Chassis and frame	Heavy duty, Rigid, Ladder type modular frame with towing hook at front.	
15	Instruction	All signs and instruction in the truck shall be in english.	
16	Vehicle Essential Accessories	1. Head light, tail and rear light, reversing light and turn signal, Cabin light. 2. Speedometer/Odometer 3. spare wheel 4. Suitable jack with handle 5. Front seat belt for driver and co passenger 6. Defroster/ Heater 7. Audio System 8. Mud Gaurds	
17	Manuals	One copy of the operators and owner's instruction and maintenance manual in English.	
18	Tools	A set of tools for general maintenance shall be supplied with a lockable tool box.	
19	Color	Standard Color	
20	Warranty	Manufacturer shall provide a minimum one year warranty	
21	Delivery	The Truck (1 unit) shall be delivered to : Gandaki Rural Municipality, Gorkha.	

Note:

The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.




[Signature]
Hare Krishna Mishra
Mechanical Engineer
Mechanical Office , Dumre

Technical Specification of Motorcycle

S.N	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1	General	Motorcycle suitable for normal and rough road driving in Nepal at an altitude up to 2000 meter and in ambient temperature -5 to 50 degree centigrade. Kerb weight of the motorcycle shall not be less than 130 kgs and shall have seated capacity for at least 2 passenger including driver.	
2	Engine	4-stroke , Petrol Engine, Engine displacement not less than 145 cc developing Maximum Power output not less than 12ps at governed RPM developing maximum torque not less than 12.5 N-m , for efficient running of motorcycle, starting system with self and kick or only self .	
3	Fuel tank capacity	Not less than 10 liters	
4	Emission Standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by Nepal Vehicle Mass Emission Standard which is to be certified by Department of Transport Management, Nepal	
5	Clutch	Multi plate ,wet plate.	
6	Wheelbase	1330mm to 1370mm	
7	Transmission	Minimum five Speed Manual Gear	
8	Starting	Self starter/ kick starter with self.	
9	Ground clearance	Ground clearance minimum 160 mm.	
10	Suspension	<ul style="list-style-type: none"> Front: Telescope hydraulic shock absorber/ telescopic front fork with anti friction bush Rear: Swing arm with double hydraulic shock / Monoshock / Nitrox shock absorber 	




 Mechanical Engineer

11	Tires	Standard size, factory fitted tubeless	
12	Steering/Handle	Safe lock for Steering.	
13	Brakes	Front : Disc , Rear : Disc / Drum	
14	Chassis and frame	Steel , heavy duty.	
15	Accessories	1 Head light, tail and brake light, and turn signals. 2 Two rear view mirrors. 3 Handel lock. 4 Speedometer 5 Helmet 1 nos.	
16	Instructions	All signs and instructions in the vehicle shall be in English.	
17	Manuals	One copy of the Owner's Instructions and Maintenance manual in English shall be supplied with each Motorcycle.	
18	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box .	
19	Color	Standard color.	
20	Proven performance	1. The vehicle offered shall be a current model under standard production by the manufacturer for at least one year.	
21	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
22	Delivery	The motorcycle shall be delivered to: Gandaki Rural Municipality, Gorkha.	


Note:

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications.

Prepared By:

Hare Krishna Mishra
Mechanical Engineer
Mechanical office, dumre.


(Signature)
Mechanical Engineer




Approved By

Technical Specification

S.N	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1	General	Motorcycle suitable for normal and rough road driving in Nepal at an altitude up to 2000 meter and in ambient temperature -5 to 50 degree centigrade. Kerb weight of the motorcycle shall not be less than 130 kgs and shall have seated capacity for at least 2 passenger including driver.	Make: Model: Country of Origin:
2	Engine	4-stroke, Petrol Engine, Minimum 145cc developing Maximum Power output not less than 18 ps at governed RPM developing maximum torque not less than 17N-m , for efficient running of motorcycle, starting system with self and kick/ Self only.	Make: Model:
3	Fuel tank capacity	Not less than 9 liters	
4	Emission Standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by Nepal Vehicle Mass Emission Standard which is to be certified by Department of Transport Management, Nepal	
5	Clutch	Multi plate ,wet plate.	
6	Transmission	Minimum five Speed Manual Gear	
7	Starting	Self starter with Kick/ Only self Stater	
8	Ground clearance	Ground clearance minimum 210 mm.	
9	Suspension	<ul style="list-style-type: none"> • Front: Telescope hydraulic shock absorber • Rear: Monoshock/ Nitrox shock absorber/ Twin shock absorber 	
10	Tires	Standard size, factory fitted tubeless	
11	Steering	Safe lock for Steering.	





Mechanical Engineer

12	Brakes	Daul Disc Braking with Single Channel ABS System	
13	Chassis and frame	Steel , heavy duty.	
14	Accessories	1. Head light, tail and brake light, and turn signals. 2. Two rear view mirrors. 3. Handel lock. 4. Speedometer 5. Helmet 6. Leg Guard	
15	Instructions	All signs and instructions in the vehicle shall be in English.	
16	Manuals	One copy of the Operator's and Owner's Instructions and Maintenance manual in English shall be supplied with each vehicle.	
17	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box .	
18	Color	Standard color.	
19	Proven performance	1. The vehicle offered shall be a current model under standard production by the manufacturer for at least one year.	
20	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
21	Delivery	The motorcycles hall be delivered to: Gandaki Rural Municipality, Gorkha	

Note:

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications.


Hare Krishna Mishra
Mechanical Engineer

Yantrik Karayalay, Dumre

